


## SECTION 1 — PRODUCT IDENTIFICATION

Product Name	InSure® ONE™ Test Card
Recommended Use / Restrictions for Use	Used exclusively with the InSure® ONE™ Kit
Part Number	16201, used in all variations of Finished Goods Part Numbers 15022, 15030, 15040, 90010, 90025, 90050, and 11018
Manufacturer's Name, Address and Phone Number	Enterix, 236 Fernwood Ave, Edison, NJ 08837 1-732-429-1899
Emergency Telephone Number	1-800-222-1222 Poison Control - USA

## SECTION 2 — HAZARDS IDENTIFICATION

Primary Routes of Exposure	Skin and/or eye contact (during test development only).
Skin Contact	Contact with skin during test development may cause irritation.
Eye Contact	Contact with eyes during test development may cause irritation.
Inhalation	Inhalation of product's natural scent under normal use conditions may irritate the nose, throat and lungs. Symptoms are generally alleviated upon breathing fresh air.
Ingestion	Any ingestion of this product may cause nausea or vomiting or other internal issues. Seek medical attention immediately if ingested.
Chronic Exposure	None known
Medical Conditions aggravated by exposure	None known
Additional Information	NFPA Rating:  

## SECTION 3 — COMPOSITION / INFO ON HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS #	%W/V	OSHA PEL	OSHA STEL	ACGIH TLV	ACGIH STEL
No hazardous components > 1%, ≥ 0.1% carcinogen	NONE	N/A	N/A	N/A	N/A	N/A

## SECTION 4 — FIRST AID MEASURES

Inhalation	Move to fresh air if product's natural scent under normal use conditions causes irritation of nose, throat, and/or lungs. If breathing becomes difficult or stops, or if the product itself has been inhaled, seek medical attention immediately.
Skin Contact	Rinse with plenty of water. If skin irritation persists, seek medical attention.
Ingestion	If the product itself has been ingested, do not induce vomiting. Seek medical attention immediately.
Eye Contact	Immediately flush with plenty of water. If pain or irritation occurs, seek medical attention.
Notes to Physician	None determined

## SECTION 5 — FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use fire extinguishing media appropriate for site conditions.
Special Hazards from the Substance	N/A
Advice for Firefighters	No equipment beyond normal protective equipment used by firefighters is required.

## SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use universal precautions during clean-up procedures of patient-sampled Test Cards (regardless if they have been developed or not).
Environmental Precautions	Keep patient-sampled Test Cards away from drains, ground water, and soil (regardless if they have been developed or not).
Methods for Clean Up	For patient-sampled Test Cards (regardless if they have been developed or not), collect material in appropriate containers and dispose according to waste regulations.

## SECTION 7 — HANDLING AND STORAGE

Handling	Protect from contamination. Wear appropriate personal protective equipment.
Storage	Refer to Instructions for Use of the InSure® ONE™ for proper storage conditions.

## SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Respiratory Protection	Respiratory protection is not required under normal use of this product.
Hand Protection	Wear appropriate protective gloves to prevent skin contact and prevent contamination during routine test development.
Skin and Body Protection	Under normal conditions, the use of this product should not require special skin, body, eye or hygiene protection. Follow Good Laboratory Practices and/or procedures as required.
Eye Protection	
Hygiene Measures	

## SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Square; Dark Blue and White, Two flaps on front with product logo; One flap on back with Lot Number, Expiration Date and other information
Odor	Odorless
pH	N/A

## SECTION 10 — STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Polymerization	N/A
Hazardous Decomposition Products	N/A
Conditions to Avoid	Keep away from direct sunlight.

## SECTION 11 — TOXICOLOGICAL INFORMATION

*Presently no toxicological data available for this kit or its components.*

## SECTION 12 — ECOLOGICAL INFORMATION

Bioaccumulation	Not determined
Aquatic Toxicity	No data is available on the product itself.
Ecotoxicity Effects	No data is available on the product itself.

## SECTION 13 — DISPOSAL CONSIDERATIONS

*Dispose according to local, state, and national regulations.*

## SECTION 14 — TRANSPORT INFORMATION

*This product is not hazardous to ship.*

## SECTION 15 — REGULATORY INFORMATION

*This product and its contents are not classified as dangerous under any regulations.*

*No Chemical Safety Assessment has been carried out on the components of this product.*

## SECTION 16 — OTHER INFORMATION

Date SDS Prepared	08Nov2017
-------------------	-----------

*DISCLAIMER: The information, data and recommendations contained herein are based upon information believed by Enterix after reasonable investigation and research, to be accurate; however, Enterix does not warrant the accuracy of this information. All materials and mixtures may present unknown hazards and should be used with caution. When necessary or appropriate, independent opinions regarding the risk of handling or exposure should be obtained from trained professionals. Enterix disclaims any warranty against patent infringement and the implied warranties of merchantability and fitness for a particular purpose. Customer's sole and exclusive remedy shall be replacement of the product or return of the product and refund of the purchase price, at Enterix option. In no case shall Enterix be liable for incidental or consequential damages, including lost profits.*

## ELECTRONIC SIGNATURES

### Approvals

<p><b>Nicolette Herflicker *DISABLED*</b>  Quality Assurance Engineer  nicolette.harflicker@enterix.com</p>	<p><b>Author</b>  I am the author of this document.  Signed 03:20:25 PM UTC 05-JUL-2023</p>
<p><b>Mike Paris *DISABLED*</b>  Vice President and General Manager, Enterix Group.  mike.paris@enterix.com</p>	<p><b>Technical Reviewer Approval</b>  I have reviewed and approve this document.  Signed 05:37:03 PM UTC 09-OCT-2023</p>
<p><b>Erica Franco</b>  Director of QA/RA  erica.franco@enterix.com</p>	<p><b>Additional Step</b>  I have reviewed and approve this document.  Signed 03:52:55 PM UTC 17-OCT-2023</p>
<p><b>Charles Davis</b>  Associate director of Operation  charles.davis@enterix.com</p>	<p><b>Additional Step</b>  I have reviewed and approve this document.  Signed 11:15:27 AM UTC 10-OCT-2023</p>
<p><b>Nicole Mehalick *DISABLED*</b>  Product Specialist  nicole.mehalick@enterix.com</p>	<p><b>Additional Step</b>  I have reviewed and approve this document.  Signed 07:28:13 PM UTC 12-OCT-2023</p>
<p><b>Laura Schnetzler</b>  QA/RA Specialist  laura.schnetzler@enterix.com</p>	<p><b>Additional Step</b>  I have reviewed and approve this document.  Signed 01:21:36 PM UTC 10-OCT-2023</p>